

1

Manuscript EMBO-2017-44000

TGF β 1-induced leucine limitation uncovered by differential ribosome codon reading

Fabricio Loayza-Puch, Koos Rooijers, Jelle Zijlstra, Behzad Moumbeini, Esther A. Zaal, Joachim F. Oude Vrielink, Rui Lopes, Alejandro Pineiro Ugalde, Celia R. Berkers, and Reuven Agami

Corresponding author: Fabricio Loayza-Puch and Reuven Agami, The Netherlands Cancer Institute

Review timeline:	Submission and transfer date:	26 January 2017
	Editorial Decision:	01 February 2017
	Revision received:	03 February 2017
	Accented:	08 February 2017

Editor: Esther Schnapp

Transaction Report: This manuscript was transferred from *The EMBO Journal*, where it was originally reviewed. The following report contains those referee comments that were outstanding at the time of transfer.

(Note: With the exception of the correction of typographical or spelling errors that could be a source of ambiguity, letters and reports are not edited. The original formatting of letters and referee reports may not be reflected in this compilation.)

1st Editorial Decision 01 February 2017

Thank you for the transfer of your revised manuscript to EMBO reports. I have now heard back from referee 2 who supports the publication of your revised study here, after careful re-writing of the manuscript text. Please focus on the inhibitory effect of TGFb on cell proliferation instead of on EMT, which is still mentioned in several places, including the abstract. I would also like to suggest to change the title in order to include the main findings. Please also add up to 5 keywords.

Please clarify in the figure legends whether the statistical info refers to all or only some figure panels, as this is unclear in several cases. Figure EV4 is missing this info. Figure EV1 is uploaded at insufficient quality, and figure EV2 might need panel letters.

You can either publish your manuscript as a short report (with a max of 5 figures and a combined results and discussion section), or as a full-length article (with at least 6 figures and separate results and discussion sections).

Please change the reference style into the numbered EMBO reports style that can be found in EndNote.

We have a suggestion from you for the short summary and bullet points, but we are still missing a synopsis image for our website. The image should be 550x200-400 pixels large (the height is variable). You can either show a model or key data in the synopsis image. Please note that text needs to be readable at the final size. Please send us the image along with the revised manuscript.

PRIOR REFEREE REPORTS

Referee #1:

The authors have adequately addressed the previous concerns raised in the initial critique, particularly the EMT points. Since the manuscript have been re-routed, the authors should deemphasize most of the introductory points related to this process

Referee #2:

The revised paper by Loyaza-Puch utilized differential ribosome codon reading (diricore) technology to analyze the response of breast epithelial cells MCF10A to the cytokine TGF-beta1. The MCF10A cell model and TGF-beta1 were used based on interest to analyze the differential codon use by ribosomes, during the process of epithelial-mesenchymal transition (EMT). Diricore relealed a relative deficiency in the amino acid leucine pool in the cells that were treated with TGF-beta1. This deficiency translated to a deficiency in Leu-tRNA loading and was explained by a negative effect of TGF-beta1 on the expression level of SLC3A2, a plasma membrane leucine transporter. TGF-beta1 not only induced EMT of the breast cells, but also reduced the rate of their proliferation. The reduction in Leu levels has therefore been linked to this cellular response.

This reviewer and reviewer 1 previously requested stronger evidence for a functional link between Leu pool deficiency, SLC3A2 level decrease and EMT in the MCF10A cell model. The experimental evidence provided by the authors failed to make this link and for this reason the title of the paper has been changed and the final conclusions have been changed somewhat to reflect this deficiency. Despite the implemented changes, the paper is heavily focused on EMT, at least in the abstract, synopsis, introduction and discussion. Thus, although the authors have formally "responded" to the reviewers comments they want to deliver a scientific article that pushes the reader to learn about how a decrease in Leu availability impacts the EMT, and in the end they do not do this. Even if one takes a different view of the matter, i.e. TGF-beta1 signaling and the mechanism of cell cycle arrest, a topic that is heavily studied and very rich in literature, this topic is not either properly addressed. The introduction does not touch upon this topic and thus does not explain how TGF-beta1 signaling causes epithelial cell cycle arrest. The single experiment of Figure 3E that shows that exogenous Leu can partially counteract the reduced proliferation of cells stimulated with TGF-beta1, does not really explain any novel mechanism that establishes how deficiency in an amino acid pool contributes to cell cycle arrest. Neither is the contribution of the SLC3A2 transporter to this process if analyzed.

In conclusion this paper analyzes the possibility that TGF-beta1 signaling might impact on differential ribosome codon reading and it provides a positive response: Leu codons are indeed differentially read. And then the paper explains that this is due to a decrease in leu, which is due to a decrease in a SLCR3A2 expression. The authors claim that the latter is a direct and rapid response to TGF-beta signaling, but no experimental evidence attempts to query this aspect.

This is the second time I review this paper. I do not support its publication as the paper currently stands. For the interests of the authors and the journal that wants to publish this paper, I suggest that the journal identifies a new reviewer that can provide an independent point of view.

My personal specific comments this time are as follows:

- 1. The new title accurately reflects the content and major conclusion of the paper.
- 2. The rest of the paper needs to be built along the lines guided by the title.
- 3. This means that the abstract can be re-written to de-emphasize EMT, metastasis and chemoresistance. None of these relate to the content of the paper.
- 4. The synopsis must be re-written in the same spirit.
- 5. The introduction must be re-written extensively. The details on ZEB1 are not relevant. The link of EMT to metabolism and chemoresistance are not relevant. Some introduction about cell proliferation and its control by TGF-beta1 would be useful and relevant.
- 6. The results are to the largest extent fine. I would advise for the sake of non-specialists that all figures that present tRNA-amino acid loading experiments (Figure 2C, 2D, 3A, 4D, 5C) include in

their legends the detail that amino acid-anti-codon (and not codon) are shown. This helps as many other figures refer to codons. EV Figure 1 is unrelated to the paper, it can be removed. Figure 3E can be complemented with siSLC3A2 and SLC3A2 overexpression analyses on cell proliferation. EV Figure 5B can be enhanced with more early time points and cycloheximide experiments, knockdown of Smad proteins to establish direct and rapid transcriptional regulation of SLC3A2 by TGF-beta1

7. The Discussion has to be re-written to de-emphasize EMT (first long paragraph) and emphasize cell proliferation. The discussion on SLC3A2 and YAP/TAZ is not clear. The statement "TGF-beta1 was already connected to YAP/TAZ signaling..." is vague. The exact connection should be presented and explanations on how this fits with the current evidence that TGF-beta1 downregulates SLC3A2. A Reference to the YAP/TAZ-TGF-beta link is missing. Finally, discussion on the impact of limited ribosomal translation and cell cycle arrest by TGF-beta can be included in the discussion. Specific mechanistic facts may be used instead of general statements that make no sense.

1st Revision - authors' response

03 February 2017

Thanks, once more, for accepting our paper. As you can imagine, we were delighted to hear about your decision. I have now uploaded the final version to your website.

In the final version of the manuscript, we addressed all your comments.

We removed some mentions to EMT in the abstract and text, but still some remain in the introduction and discussion (these are essential).

We clarified the statistical information in all figures, and increased as much as possible the resolution of fig EV1 and added panels to Fig EV2

We also include a synopsis image + text.

Finally also the references were adapted to your style.

2nd Editorial Decision 08 February 2017

I am very pleased to accept your manuscript for publication in the next available issue of EMBO reports. Thank you for your contribution to our journal.

EMBO PRESS

PLEASE NOTE THAT THIS CHECKLIST WILL BE PUBLISHED ALONGSIDE YOUR PAPER

Corresponding Author Name: Reuven Agami
Journal Submitted to: EMBO
Manuscript Number: EMBOJ-2016-95445

Reporting Checklist For Life Sciences Articles (Rev. July 2015)

This checklist is used to ensure good reporting standards and to improve the reproducibility of published results. These guidelines are consistent with the Principles and Guidelines for Reporting Preclinical Research issued by the NIH in 2014. Please follow the journal's authorship guidelines in preparity governanturcity.

- A- Figures

 A- Figures

 The data shown in figures should satisfy the following conditions:

 the data shown in figures should satisfy the following conditions:

 the data were obtained and processed according to the field's best practice and are presented to reflect the results of the experiments in an accurate and unblased manner.

 figure panels include only data points, measurements or observations that can be compared to each other in a scientifically meaningful way,

 graphs include clearly labeled error bars for independent experiments and sample sizes. Unless justified, error bars should not be shown for technical registates.

 If it's the individual data and institution from each rewrittent should be plotted and any statistical test employed should be
 - if n<5, the individual data points from each experiment should be plotted and any statistical test employed should be
 - Justified Source Data should be included to report the data underlying graphs. Please follow the guidelines set out in the author ship guidelines on Data Presentation.

2. Captions

Each figure caption should contain the following information, for each panel where they are relevant:

- a specification of the experimental system investigated (eg cell line, species name).

 the assay(s) and method(s) used to carry out the reported observations and measurements

 an explicit mention of the biological and chemical entityles; but are rebing reasured.

 an explicit mention of the biological and chemical entitylies) that are altered/varied/perturbed in a controlled manner.

- ** an expent mention of the alonger and crientine are entrypted, that are an exercity/enceptrumeted in a controlled minime.

 **3 a description of the sample collection allowing the reader to understand whether the samples represent technical or biological registers (including how many animals, titters, cut collective, etc.).

 **3 a statement of how many times the experiment shown was independently replicated in the laboratory.

 **6 efinitions of statistical methods and measures:

 common tests, such as t-est (please specify whether paired vs. unpaired), simple x2 tests, Wilcoxon and Mann-Whitney tests, can be unsimigously identified by name only, but more compiles techniques should be described in the methods section;

 section;

 existion:

 existion:

 existion:

 existion:

 existion:

 existion:

 existion:

 **definition of crieder values* a meandles or average;

 **definition of error bars as s.d. or s.e.m.

Any descriptions too long for the figure legend should be included in the methods section and/or with the source data.

Please ensure that the answers to the following questions are reported in the manuscript itself. We encourage you to include a specific subsection in the methods section for statistics, reagents, animal models and human subjects.

USEFUL LINKS FOR COMPLETING THIS FORM

http://www.consort-statement.org/checklists/view/32-consort/66-title

http://www.antibodypedia.com Antibodypedia http://idegreebio.org 1DegreeBio http://www.equator-network.org/reporting.guidelines/improving-bioscience-research-repo_ARRIVE_Guideling.

http://scats.nlh.gov/prasts/slaw/date/htm
http://www.consort-slatement.org/checklists/blew/32-consort/66-title

ONSORT-flow library/www.consort-slatement.org/checklists/blew/32-consort/66-title

ONSORT-flow Diagram

CONSORT-flow Diagram

http://www.equator-network.org/reporting-guidelines/reporting-recommendations-for-tun REMARK Re

http://datadryad.org http://figshare.com Figshare http://www.ncbi.nlm.nih.gov/gap EGA http://www.ebi.ac.uk/ega

B- Statistics and general methods

Not applicable to our studies
nut eppincaue to our stonies
not applicable
all samples of the of the experiments were included
Not applicable to our studies
not applicable
Its Not applicable to our studies
not applicable
Yes in every legend to figure the statistical tests are justified
Yes, the data meet the assumptions of the tests
depending on the statisticak analysis we estimated the variation within each group of data
yes

C- Reagents

6. To show that antibodies were profiled for use in the system under study (assay and species), provide a citation, catalog number and/or clone number, supplementary information or reference to an antibody validation profile. e.g., Antibodypedia (see link list at top right).	okay, see methods
 Identify the source of cell lines and report if they were recently authenticated (e.g., by STR profiling) and tested for mycoplasma contamination. 	yes, see methods

* for all hyperlinks, please see the table at the top right of the document

D- Animal Models

8. Report species, strain, gender, age of animals and genetic modification status where applicable. Please detail housing	not applicable
and husbandry conditions and the source of animals.	
9 For experiments involving live vertebrates include a statement of compliance with ethical regulations and identify the	not annicable
	not applicable
	not applicable
compliance.	
9. For experiments involving live vertebrates, include a statement of compliance with ethical regulations and identify the committee(s) approxing the experiments. 10. We recommend consulting the ARRIVE guidelines (see link list at top right) (PLoS Biol. 8(6), e1000412, 2010) to ensure that other relevant aspects of animal studies are adequately reported. See author guidelines, under "Reporting Guidelines." See also NIM (see link list at top right) and MRC (see link list at top right) recommendations. Please confirm compliance.	

E- Human Subjects

11. Identify the committee(s) approving the study protocol.	not applicable
12. Include a statement confirming that informed consent was obtained from all subjects and that the experiments conformed to the principles set out in the WMA Declaration of Helsinki and the Department of Health and Human Services Belmont Report.	not applicable
 For publication of patient photos, include a statement confirming that consent to publish was obtained. 	not applicable

14. Report any restrictions on the availability (and/or on the use) of human data or samples.	not applicable
15. Report the clinical trial registration number (at ClinicalTrials.gov or equivalent), where applicable.	not applicable
16. For phase II and III randomized controlled trials, please refer to the CONSORT flow diagram (see link list at top right) and submit the CONSORT checklist (see link list at top right) with your submission. See author guidelines, under Reporting Guidelines'. Please confirm you have submitted this list.	not applicable
17. For tumor marker prognostic studies, we recommend that you follow the REMARK reporting guidelines (see link list at top right). See author guidelines, under 'Reporting Guidelines'. Please confirm you have followed these guidelines.	not applicable

F- Data Accessibility

Data deposition in a public repository is mandatory for: a. Protein, DNA and RNA sequences b. Natromolecular Structures C. Cystalographic data for small molecules d. Fructional genomic structures C. Systalographic data for small molecules d. Fructional genomic structures D. Deposition is strongly recommended for any datasets that are central and integral to the study, please consider the public structure of the study of the		
a. Protein, DNA and RNA sequences D. Macromolecular interactures C. Cytallographic data for small molecules C. Tytallographic data for small molecules C. Proteinsmic stat D. Proteinsmic stat D. Proteinsmic stat D. Special state of the stat	Provide accession codes for deposited data. See author guidelines, under 'Data Deposition'.	yes, we provided
a. Protein, DNA and RNA sequences D. Macromolecular interactures C. Cystallographic data for small molecules C. Proteinographic data for small molecules C. Proteinographic data for small molecules C. Proteinomics and molecular interactions E. Proteinomics and E. Proteinomic	Date describes to a shift secondary for	
b. Macromolecular structures C reystallographic data for small molecules d. Functional genomics data Professional and molecular interactions 3. Deposition is strongly recommended for any datasets that are central and integral to the study, please consider the control of the study of the study of the study of the study of the control of the study of the st		
C Cytallographic data for small molecules d. Functional genomics data e. Proteomics and molecular interactions 3. Depositions is known; recommended for any datasets that are central and integral to the study; please consider the journal's data policy. If no structured public reposition years for a given data tape, we encurage the provision of datasets in the manuracity as a Supplementary Document (pee author guidelines under "Supanded Vev" or in 3. Access to human clinical and genomic datasets should be provided with a few restrictions as possible while respecting efficial obligations to the patients and relevant medical and legal losses. If practically possible and compatible with the individual consent agreement used in the study, such data should be deposited in one of the major public access- controlled repositions such as dIGACP (see link list at ton gright 1. 21. As far a possible, primary and referenced data should be formally cited in a Data Availability section. Please state whether you have included this section. Example: Wentone NA, Deutschbauer AM, Price MM, Arkin AP (2012; Comparison of gene expression and mutant fitness in Shewacello molecides in Bt. 2. Gene Expression Omnibus SE339462 Referenced Data Human, J. Brown AF, Lei M (2012). Cystal structure of the TRBD domain of TERT and the CRA/5 of TR, Protein Data Bank 4026 AMS snalysis of human histone description in the shared without restrictions and provided in a lost application of the patient and integral to a study should be shared without restrictions and provided in a lost application of the patient and the patient of the study should be shared without restrictions and provided in a lost application of the limit size in the pright of the patient of structure of the transport of the patient of the		
d. Functional genomics data e. Proteomics and molecular interactions 19. Deposition is strongly recommended for any datasets that are central and integral to the study, please consider the journal's data polic, if no structured public repository exists for a given data type, we encourage the provision of datasets in the manuscript as a Supplementary Document (see author guidelines under Tapanded View' or in unstructured repositories such as Dyeld even bit at sit to pright or Explanate (less his sit to the pright). 20. Access to human clinical and genomic datasets should be provided with as few restrictions as possible while expecting ethical obligations to the patients and relevant mentional and legal issues. If particularly possible and compatible with the individual consent agreement used in the study, such data should be deposited in one of the major public access with the individual consent agreement used in the study, such data should be deposited in one of the major public access with the individual consent agreement used in the study, such data should be deposited in one of the major public access with the individual consent agreement used in the study, such data should be deposited in one of the major public access with the individual consent agreement used in the study, such data should be formally crited in a Data Availability section. Please state whether you have included this section. Stamples: Primary Data Wetmore KM, Deutschbauer AM, Price MM, Arkin AP (2012). Comparison of gene expression and mutant fitness in Shewanella on-clients MR-1. Gene Expression Omnibus GSG39462 Referenced Data Humang, I stown AF, Le M (2012). Crystal structure of the TRBD domain of TERT and the CR4/5 of TR. Protein Data Bank 2026 Accessible from. The relevant accession numbers or links should be provided. When possible, standardized machine-enable form. The relevant accession muthers or links should be provided. When possible, standardized machine-enable form. The relevant accession muthers or links should be prov		
e. Proteomics and molecular interactions J. Depositions is riskingly recommended for any datasets that are central and integral to the study; please consider the journal's data policy, if no structured public repository exists for a given data fype, we encourage the provision of datasets in the manuscript a a Supplementary Document (per earlier) and extra properties of advanced in the provision of datasets in the manuscript as a supplementary Document (per earlier) and provision of datasets in the provision and provision of datasets in the provision of the provision of datasets in the provision of datasets in the provision of datasets in the provision of the provision		
19. Despotition is strongly recommended for any datasets that are central and integral to the study, please consider the powers of the power of the study of the study reposition of datasets in the manuscript as a Supplementary Document (see author guidelines under "Dapanded Wiew" or in untractured repositions such as Dryag deserving the study to great the study of th		
journal's data policy. If no structured public repository exists for a given data type, we encourage the provision of datasets in the manuscript as a Supplementary Document (see author guidelines under Standard Very or in unstructured repositories such as Oryad (see link list at top right) or Fighards (see link list at top right). 20. Access to human clinical and genomic datasets should be provided with a sive restrictions as possible while expecting eithical doligations to the patients and relevant medical and legal sisses. If practically possible and compatible constructions are possible with a six at top right possible and compatible constructions are possible primary and referenced data should be formally cited in a Data Availability section. Please state whether you have included this section. Examples: Primary Data Referenced Nat., Ports Chibaver AM., Prics MM, Arkin AP (2012). Comparison of gene expression and mutant fitness in Network Standard Stand		
datasets in the manuscript as a Supplementary Document (see author guidelines under "Lapanded View" or in untractured repositions such as Droyal des inkit at too right) or Fighane (see link its at too right). 20. Access to human clinical and genomic datasets should be provided with as few restrictions as possible while respecting ethical obligations to the patients and relevant medical and legal sizes. If particularly possible and compatible with the individual consent agreement used in the study, such data should be deposited in one of the major public access-controlled repositions such as disDeD level in this size to pright of the controlled repositions such as disDeD level in this size to pright of the supplies. 21. As far a possible, primary and referenced data should be formally cred in a Data Availability section. Please state whether you have included this section. Eamples: Primary Data Wetmore XID, Deutschbauer AM, Price MM, Arkin AP (2012), Comparison of gene expression and mutant fitness in Shewazella moreleasis MR-1. Gene Expression Omnibus GES13462 Referenced Data Hussay, I known AF, Le M (2012), Crystal structure of the TRBD domain of TERT and the CRA/5 of TR. Protein Data Bank 4026 AMAS analysis of human histone deacetylase interactions in CEM-T cells (2013), PRIDE PRODOCOSCO. 22. Comparisonal models that are central and integer in a study should be seed without restrictions and provided in a National Common State. Cellally should be used elicitated of scripts (e.g. MATLAB), Authors are restroyle recouraged to follow the MIRAM applied high soulde be used interactions cover code by provided with the paper, it should be		okay
unstructured repositories such as Dryad (see link list at too right) or Fighthere (see link list at too right). 20. Access to human inductional and genome classes should be provided with a few remittions as possible while respecting ethical obligations to the patients and relevant medical and legal issues. If practically possible and compatible with the individual connecting agreement used in the study, and obligations to the patients and relevant medical and legal issues. If practically possible and compatible with the individual connecting agreement used in the study, and the study right is controlled repositionies such as displicit possible and the study right. Switcher (so where the properties and the study of the study right) is the study right. Examples: Primary Dals Westmore EAD, Deutschbauer AM, Price MN, Arkin AP (2012). Comparison of gene expression and mutant fitness in Switcher (so where the properties and the study of the		
20. Access to human clinical and genomic datasets should be provided with as few restrictions as possible while respecting eithical digisations to the patients and relevant medical and legal sizes. If particularly possible practically possible and compatible with the individual consent agreement used in the study, such data should be deposited in one of the major public access-controlled repositions such as dBGAP leve in his tast top right? 21. As far as possible, primary and referenced data should be formally cited in a Data Availability section. Please state whether you have included this section. Examples: Primary Data Wetmore KM, Deutschbauer AM, Price MM, Arkin AP (2012). Comparison of gene expression and mutant fitnes in Shewazellia oneledensis MR-1. Gene Expression Omnibus OSE39462 Referenced Data Humag, I, Brown AF, Let M (2012). Crystal structure of the TRBD domain of TERT and the CRA/5 of TR. Protein Data Bank 4026 AMAS snalypis of human histone description in the surface of the shared without restrictions and provided in a lord application of the structure of the shared without restrictions and provided in a lord application of the structure of the shared without restrictions and provided in a lord application of the shared without restrictions and provided in a lord application of the shared without restrictions and provided in a lord application of the shared without restrictions and provided in a lord application of the shared without restrictions and provided in a lord application of the shared without restrictions and provided in a lord application of the shared without restrictions and provided in a lord application. MIRAM guidelines (see link list at top right) and deposite their model in a public database such as Biomodels (see link list at lord pill, and developed with the pages, it should be	datasets in the manuscript as a Supplementary Document (see author guidelines under 'Expanded View' or in	
respecting eithed obligations to the patients and relevant medical and legal issues. If practically possible and compatible with the individual consoneral agreement used in the study, such data should be deposited in one of the major public accessions of the possible in the state of the sta	unstructured repositories such as Dryad (see link list at top right) or Figshare (see link list at top right).	
with the individual consent agreement used in the study, such data should be deposited in one of the major public access- controlled repositories with a dBGAP (see link link as to pright). 22. As far as possible, primary and referenced data should be formally cited in a Data Availability section. Please state whether you have included this section. Earnples: Wether you have included this section. Wether you have included this section of minibus of SE39462. Referenced Data Having J, Brown AF, Let M (2012). Cystal structure of the HRIBD domain of TERT and the CR4/5 of TIR. Protein Data Bank 4026 AMS analysis of human histone deacetylase interactions in CEM.* Cells (2013). PRIDE PXXXXXIII of the provided in a local application of the lo	20. Access to human clinical and genomic datasets should be provided with as few restrictions as possible while	okay
Controlled repositories such as GDEAP (see link list at top right). 2. As far as possible, primary and referenced data should be formally cited in a Data Availability section. Please state whether you have included this section. Examples: Primary Data Welmore KM, Perks PMM, Arkin AP (2012). Comparison of gene expression and mutant filtness in Shewarella oncelledes in MR-1. Gene Expression Omnibus CSE39462 Referenced Data Namage, 8 nows AF, Le M (2012). Crystal structure of the TRBD domain of TERT and the CRA/5 of TR. Protein Data Bank New AS analysis of human histone deacetyses interactions in CEAF Task (2013). PRIDE PRODOZOSIB 2. Comparisonal models that are central and integer to a validate without estrictions and provided in a machine-readable form. The relevant accession numbers or links should be provided. When possible, standardated format (SSEM, CRAIII) should be used inclined of scripts (s.e., MATAIBA). Authors are strongly encouraged to follow the MIRAMA guidelines (see link list at top right) and deposit their model in a public database such as sistemadels (see link list at top right) and deposit their model in a public database such as sistemadels (see link list at top right) and deposit their model in a public database such as sistemadels (see link list at top right) and deposit their model in a public database such as sistemadels (see link list at though the second see the second seco	respecting ethical obligations to the patients and relevant medical and legal issues. If practically possible and compatible	
21. As far a possible, primary and referenced data should be formally cited in a Data Availability section. Please state whether you have included this section. Camples: Primary Data Whenay Data Applications AM, Ports MM, Arkin AP (2012). Comparison of gene expression and mutant fitness in Network Data Network Data Namage, I shown AF, Let M (2012). Cystal structure of the TRBD domain of TERT and the CRA/5 of TR. Protein Data Bank 4026 AMS analysis of human histone deacetylase interactions in CEM-7 cells (2013). PRIDE PEOCOD208 AMS analysis of human models that are central and integral to a study should be shared without restrictions and provided in a lost applicable matchine readable from. The relevant accession numbers or inflat should be provided. When possible, standardized MIRIAM guidelines (see link list at top right) and deposit their model in a public database such as Biomodels (see link list at top right) and deposit their model in a public database such as Biomodels (see link list at top right) and deposit their model in a public database such as Biomodels (see link list at though the public database such as Biomodels (see link list at though the public database such as Biomodels (see link list at though the public database such as Biomodels (see link list at though the public database such as Biomodels (see link list at though the public database such as Biomodels (see link list at though the public database such as Biomodels (see link list at though the public database such as Biomodels (see link list at though the public database such as Biomodels (see link list at though the public database such as Biomodels (see link list at though the public database such as Biomodels (see link list at though the public database such as Biomodels (see link list at though the public database such as Biomodels (see link list at though the public database such as Biomodels (see link list at though the public database such as Biomodels (see link list at though the public database such as Biomodels (see link	with the individual consent agreement used in the study, such data should be deposited in one of the major public access-	
Examples: Primary Data Welmore KM, Deutschbauer AM, Price MN, Arkin AP (2012). Comparison of gene expression and mutant fitness in Shewanella oneidensis MR-1. Gene Expression Omnibus GSE39462 Referenced Data Hausey, J. Brown AF, Le M (2012). Crystal structure of the TRBD domain of TERT and the CRA/5 of TR. Protein Data Bank GSB GSB CSB CSB CSB CSB CSB CSB CSB CSB CSB C	controlled repositories such as dbGAP (see link list at top right) or EGA (see link list at top right).	
Examples: Primary Data Wethorse KM, Deutschbauer AM, Price MM, Arkin AP (2012), Comparison of gene expression and mutant fitness in Shewanello notelensis MR-1. Gene Expression Omnibus GSE39462 Referenced Data Huang, I, Brown AF, Le M (2012), Crystal structure of the TRBD domain of TERT and the CR4/5 of TR. Protein Data Bank 4026 AP-MS analysis of human histone deacetylase interactions in CEM-T cells (2013), PRIDE PED002028 AP-MS analysis of human histone deacetylase interactions in CEM-T cells (2013), PRIDE PED0020208 AP-MS analysis of human histone deacetylase interactions in CEM-T cells (2013), PRIDE PED0020208 AP-MS analysis of human histone deacetylase interactions in CEM-T cells (2013), PRIDE PED0020208 AP-MS analysis of human histone deacetylase interactions in CEM-T cells (2013), PRIDE PED0020208 AP-MS analysis of human histone of backetylase interactions in CEM-T cells (2013), PRIDE PED0020208 AP-MS analysis of human histone of backetylase interactions in CEM-T cells (2013), PRIDE PED0020208 AP-MS analysis of human histone of backetylase interactions in CEM-T cells (2013), PRIDE PED0020208 AP-MS analysis of human histone of backetylase interactions in CEM-T cells (2013), PRIDE PED0020208 AP-MS analysis of human histone of backetylase interactions in CEM-T cells (2013), PRIDE PED0020208 AP-MS analysis of human histone of backetylase interactions in CEM-T cells (2013), PRIDE PED0020208 AP-MS analysis of human histone of backetylase interactions in CEM-T cells (2013), PRIDE PED0020208 AP-MS analysis of human histone of backetylase interactions in CEM-T cells (2013), PRIDE PED0020208 AP-MS analysis of human histone of backetylase interactions in CEM-T cells (2013), PRIDE PED0020208 AP-MS analysis of human histone of backetylase interactions in CEM-T cells (2013), PRIDE PED0020208 AP-MS analysis of human histone of backetylase interactions in CEM-T cells (2013), PRIDE PED0020208 AP-MS analysis of human histone of backetylase interactions in CEM-T cells (2013), PRIDE PED0020208 AP-MS analysis of human histone	21. As far as possible, primary and referenced data should be formally cited in a Data Availability section. Please state	okay
Wetnore KM, Deutschlauer AM, Price MN, Arkin AP (2012). Comparison of gene expression and mutant fitness in Shewanello notelensis MR-1. Gene Expression Omnibus GSE39462 Referenced Data Referenced Data Referenced Data Referenced Data Revolution (Comparison of FERT and the CR4/5 of TR. Protein Data Bank 4026 AP MS analysis of human histone deacetylase interactions in CEM-T cells (2013). PRIDE PED002028 AP MS analysis of human histone deacetylase interactions in CEM-T cells (2013). PRIDE PED002028 AP MS analysis of human histone deacetylase interactions in CEM-T cells (2013). PRIDE PED002028 AP MS analysis of human histone deacetylase interactions in CEM-T cells (2013). PRIDE PED002028 AP MS analysis of human histone deacetylase interactions in CEM-T cells (2013). PRIDE PED002028 AP MS analysis of human histone deacetylase interactions in CEM-T cells (2013). PRIDE PED002028 AP MS analysis of human histone deacetylase interactions in CEM-T cells (2013). PRIDE PED002028 AP MS analysis of human histone deacetylase interactions in CEM-T cells (2013). PRIDE PED002028 AP MS analysis of human histone deacetylase interactions in CEM-T cells (2013). PRIDE PED002028 AP MS analysis of human histone deacetylase interactions in CEM-T cells (2013). PRIDE PED002028 AP MS analysis of human histone deacetylase interactions in CEM-T cells (2013). PRIDE PED002028 AP MS analysis of human histone deacetylase interactions in CEM-T cells (2013). PRIDE PED002028 AP MS analysis of human histone deacetylase interactions in CEM-T cells (2013). PRIDE PED002028 AP MS analysis of human histone deacetylase interactions in CEM-T cells (2013). PRIDE PED002028 AP MS analysis of human histone deacetylase interactions in CEM-T cells (2013). PRIDE PED002028 AP MS analysis of human histone deacetylase interactions in CEM-T cells (2013). PRIDE PED002028 AP MS analysis of human histone deacetylase interactions in CEM-T cells (2013). PRIDE PED002028 AP MS analysis of human histone deacetylase in CEM-T cells (2013). PRIDE PED002028 AP MS analysis of human	whether you have included this section.	
Wetnore KM, Deutschlauer AM, Price MN, Arkin AP (2012). Comparison of gene expression and mutant fitness in Shewanello notelensis MR-1. Gene Expression Omnibus GSE39462 Referenced Data Referenced Data Referenced Data Referenced Data Revolution (Comparison of FERT and the CR4/5 of TR. Protein Data Bank 4026 AP MS analysis of human histone deacetylase interactions in CEM-T cells (2013). PRIDE PED002028 AP MS analysis of human histone deacetylase interactions in CEM-T cells (2013). PRIDE PED002028 AP MS analysis of human histone deacetylase interactions in CEM-T cells (2013). PRIDE PED002028 AP MS analysis of human histone deacetylase interactions in CEM-T cells (2013). PRIDE PED002028 AP MS analysis of human histone deacetylase interactions in CEM-T cells (2013). PRIDE PED002028 AP MS analysis of human histone deacetylase interactions in CEM-T cells (2013). PRIDE PED002028 AP MS analysis of human histone deacetylase interactions in CEM-T cells (2013). PRIDE PED002028 AP MS analysis of human histone deacetylase interactions in CEM-T cells (2013). PRIDE PED002028 AP MS analysis of human histone deacetylase interactions in CEM-T cells (2013). PRIDE PED002028 AP MS analysis of human histone deacetylase interactions in CEM-T cells (2013). PRIDE PED002028 AP MS analysis of human histone deacetylase interactions in CEM-T cells (2013). PRIDE PED002028 AP MS analysis of human histone deacetylase interactions in CEM-T cells (2013). PRIDE PED002028 AP MS analysis of human histone deacetylase interactions in CEM-T cells (2013). PRIDE PED002028 AP MS analysis of human histone deacetylase interactions in CEM-T cells (2013). PRIDE PED002028 AP MS analysis of human histone deacetylase interactions in CEM-T cells (2013). PRIDE PED002028 AP MS analysis of human histone deacetylase interactions in CEM-T cells (2013). PRIDE PED002028 AP MS analysis of human histone deacetylase interactions in CEM-T cells (2013). PRIDE PED002028 AP MS analysis of human histone deacetylase in CEM-T cells (2013). PRIDE PED002028 AP MS analysis of human		
Wetmore MI, Deutschbauer AM, Price MM, Arkin AP (2012). Comparison of gene expression and mutant fitness in Shewarella one-desis MR-1. Gene Expression Omnibus CSSE3000 of mole to SSE3000 of mole to SSE3000 of the SS	Examples:	
Shewarello motelensis MR-1. Gene Expression Omnibus GSE39462 Referenced Data Huang J, Brown AF, Le M (2012). Crystal structure of the TRBD domain of TERT and the CR4/5 of TR. Protein Data Bank 4026 AP-MS analysis of human histone deacetylase interactions in CEM-7 cells (2013). PRIDE PXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	Primary Data	
Shewarello motelensis MR-1. Gene Expression Omnibus GSE39462 Referenced Data Huang J, Brown AF, Le M (2012). Crystal structure of the TRBD domain of TERT and the CR4/5 of TR. Protein Data Bank 4026 AP-MS analysis of human histone deacetylase interactions in CEM-7 cells (2013). PRIDE PXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	Wetmore KM Deutschhauer AM Price MN Arkin AP (2012) Comparison of sene expression and mutant fitness in	
Reference Data Husag, 1 Brown AF, Let M (2012). Crystal structure of the TRBD domain of TERT and the CR4/5 of TR. Protein Data Bank Husag, 1 Brown AF, Let M (2012). Crystal structure of the TRBD domain of TERT and the CR4/5 of TR. Protein Data Bank Husag, 1 Brown AF, Let M (2012). Crystal structure of the TRBD domain of TERT and the CR4/5 of TR. Protein Data Bank Husag, 1 Brown AF, Let M (2012). The TRBD PROTEIN DATA BANK AFF AFF AFF AFF AFF AFF AFF AFF AFF AF		
AQDE AM-MS analysis of human histone deacetylase interactions in CEM-T cells (2013). PRIDE PXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		
AQDE AM-MS analysis of human histone deacetylase interactions in CEM-T cells (2013). PRIDE PXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	Huang Brown AF Lei M (2012) Crystal structure of the TRBD domain of TERT and the CR4/5 of TR Protein Data Bank	
AP-MS analysis of human histone deacetylase interactions in CEM-T cells (2013), PRIDE PX0000208 22. Computational models that are central and integral to a study should be behaved without restrictions and provided in a not applicable machine-readable form. The relevant accession numbers or links should be provided, When possible, standardized formations (EM-MIXAM) and but her used interacted or fuzzie (see, MIXAM). Authors are set rorspity encouraged to follow the MIXAM guidelines (see link list at top right) and deposit their model in a public database such as Stomodels (see link list at top right) and deposit cells only formation of the cells o		
22. Comportational models that are central and integral to a study should be shared without restrictions and provided in a lost applicable manchine readable form. The relevant accession numbers or links should be provided. When possible, standardized format (SIMM_ CHIMM) should be used instead of scripts (e.g., MATUAB). Authors are strongly encouraged to follow the MIRIAM guidelines (see link list at top right) and deposit their model in a public database such as Slomodels (see link list at top right) and deposit source code is provided with the paper, it should be		
machine-readable form. The relevant accession numbers or links should be provided. When possible, standardized format (SIML, Cellally) should be used intended or izeptis (e.g. MAIAB). Authors are strongly encouraged to follow the MIRIAM guidelines (see link list at top right) and deposit their model in a public database such as Slomodels (see link list at stop right) or WKO obline (pen lisk list at long right). If computer source code is provided with the paper, it should be		not applicable
format (SBML, CellML) should be used instead of scripts (e.g. MATLAB). Authors are strongly encouraged to follow the MIRIAM guidelines (see link list at top right) and deposit their model in a public database such as slomnoded (see link list at top right) or IVM colline (see link list at long right). If computer source code is provided with the paper, it should be		
MIRIAM guidelines (see link list at top right) and deposit their model in a public database such as Biomodels (see link list at top right). If computer source code is provided with the paper, it should be		
at top right) or JWS Online (see link list at top right). If computer source code is provided with the paper, it should be		
	deposited in a public repository or included in supplementary information.	

G- Dual use research of concern

23. Could your study fall under dual use research restrictions? Please check biosecurity documents (see link list at top	no
right) and list of select agents and toxins (APHIS/CDC) (see link list at top right). According to our biosecurity guidelines,	
provide a statement only if it could.	